

Author index

- AGNATI, L. F. (see FUXE, K.)
 AGNATI, L. F. (see RUGGERI, M.)
 AHLMAN, H. (see LARSSON, I.)
 AHRÉN, B. (see HERMANSEN, K.)
 AHRÉN, B. (see PETTERSSON, M.)
 ALAFACI, C., JANZEN, I., ARBAB, M. A.-R., SHIOKAWA, Y., SVENDGAARD, N.-A. A. & EDVINSSON, L. Enhanced vasoconstrictor effect of endothelin in cerebral arteries from rats with subarachnoid haemorrhage, 317
 ALMEGÅRD, B. (see BILL, A.)
 ALVING, K., MATRAN, R., LACROIX, J. S. & LUNDBERG, J. M. Capsaicin and histamine antagonist-sensitive mechanisms in the immediate allergic reaction of pig airways, 48
 AMELINK, G. J., KOOT, R. W., ERICH, W. B. M., VAN GIJN, J. & BÄR, P. R. Sex-linked variation in creatine kinase release, and its dependence on oestradiol, can be demonstrated in an *in-vitro* skeletal muscle preparation, 115
 ANDERSSON, B. (see JUNKERGÅRD, J.), 67
 ANDERSSON, K.-E. (see ERIKSSON, L.-O.)
 ANDERSSON, K.-E. (see HOLMQUIST, F.)
 ANDERSSON, K.-E. (see MALMGREN, A.)
 ANDERSSON, P. O. (see MALMGREN, A.)
 ANDERSSON, P. O., SJÖGREN, C., UVNÄS, B. & UVNÄS-MOBERG, K. Urinary bladder and urethral responses to pelvic and hypogastric nerve stimulation and their relation to vasoactive intestinal polypeptide in the anaesthetized dog, 409
 ANDERSSON, S. E. (see BILL, A.)
 APERIA, A. (see KARLÉN, J.)
 APERIA, A. (see LARSSON, S. H.), 99, 243
 ARBAB, M. A.-R. (see ALAFACI, C.)
 ARNEKLO-NOBIN, B. (see BODELSSON, M.)
 ÅSTRAND, P. (see MSGHINA, M.)
 AUGUSTINSSON, O. (see JUNKERGÅRD, J.), 301
 AUNIS, D. (see HELLE, K. B.)
 BÄR, P. R. (see AMELINK, G. J.)
 BARTFAI, T. (see WESTLIND-DANIELSSON, A.)
 BAYATI, A. A study in the maintenance phase of ischaemic acute renal failure in the rat, 349
 BAYATI, A., CHRISTOFFERSON, R., KÄLLSKOG, Ö. & WOLGAST, M. Mechanism of erythrocyte trapping in ischaemic acute renal failure, 13
 BAYATI, A., KÄLLSKOG, Ö. & WOLGAST, M. The long-term outcome of post-ischaemic acute renal failure in the rat. I. A functional study after treatment with SOD and sucrose, 25
 BAYATI, A., NYGREN, K., KÄLLSKOG, Ö. & WOLGAST, M. The long-term outcome of post-ischaemic acute renal failure in the rat. II. A histopathological study of the untreated kidney, 35
 BECK, B. (see MIKKELSEN, J. D.)
 BELL, L. (see MORSE, M. A.)
 BELL, L., HENNECKEN, J., ZARET, B. L. & RUTLEN, D. L. Alpha-adrenergic regulation of splanchnic volume and cardiac output in the dog, 321
 BIAGINI, G. (see ZOLI, M.)
 BILL, A., ANDERSSON, S. E. & ALMEGÅRD, B. Cholecystokinin causes contraction of the pupillary sphincter in monkeys, but not in cats, rabbits, rats and guinea-pigs: antagonism by lorglumide, 479
 BJÖRNBERG, J. (see MASPERS, M.)
 BODELSSON, M., ARNEKLO-NOBIN, B., NOBIN, A., OWMAN, CH., SOLLERMAN, C. & TÖRNEBRANDT, K. Cooling enhances α_2 -adrenoceptor-mediated vasoconstriction in human hand veins, 283
 BOKVIST, K. (see VOLKMAN, R.)
 BRÄNNSTRÖM, M. (see HELLBERG, P.)
 BROWN, M. D. (see RYDEVIK, B.)
 BUANES, T. (see VEEL, T.)
 BUGGE, J. F., STOKKE, E. S., VIKSE, A. & KIL, F. Stimulation of renin release by PGE_2 and PGI_2 infusion in the dog: enhancing effect of ureteral occlusion or administration of ethacrynic acid, 193
 BYLUND-FELLENUS, A.-C. (see SOUSSI, B.)
 CASELLAS, D. (see HOLM, L.), 395
 CHEN, S.-S. (see CHEN, T.-J.)
 CHEN, T.-J. & CHEN, S.-S. Brain stem auditory-evoked potentials in different strains of rodents, 529
 CHRISTENSEN, N. J. (see STRANGE, S.)
 CHRISTOFFERSON, R. (see BAYATI, A.), 13
 CINTRA, A. (see ZOLI, M.)
 CLAUSEN, P. P. (see MIKKELSEN, J. D.)
 COOLS, A. R. (see VAN DEN BOS, R.)
 DAHLSTRÖM, A. (see LARSSON, I.)
 DELLE, M. (see HOFFMAN, P.)
 DUDLEY, G. A. (see TESCH, P. A.)
 DUVOISIN, M. R. (see TESCH, P. A.)
 EDVINSSON, L. (see ALAFACI, C.)
 EHRHART, M. (see HELLE, K. B.)
 EINARSSON, S. (see PETTERSSON-HENRIKSSON, A.)
 EKBLAD, E. (see MALMGREN, A.)
 ELLINGSSEN, I. The influence on the breathing pattern in man of moderate levels of continuous positive and negative airway pressure and of positive end-expiratory pressure during air and CO_2 inhalation, 273
 ENGELAND, E. (see VEEL, T.)

- ENGLUND, L. J. (see SJÖDIN, L.)
 ERICH, W. B. M. (see AMELINK, G. J.)
 ERIKSSON, L.-O., LARSSON, B., KULLENDORFF, C.-M. & ANDERSSON, K.-E. Influence of renal sympathectomy, sodium depletion and prostaglandin synthetase inhibition on prostaglandin production and [3 H]PGE₂ binding characteristics in rat kidney, 451
- FÄNDRIS, L. & JONSON, C. Effects of acute administration of omeprazole or ranitidine on basal and vagally stimulated gastric acid secretion and alkalization of the duodenum in anaesthetized cats, 181
 FÄNDRIS, L. (see TANTISIRA, M. H.), 15
 FARVER, O. (see ZHOU, A.)
 FERRAGUTI, F. (see ZOLI, M.)
 FLEMSTRÖM, G. (see HOLM, L.), 471
 FOLKOW, B. Jubilee Lecture: History of physiology in Scandinavia, 5
 FRANCO-CERECEDA, A., MATRAN, R., LOU, Y.-P. & LUNDBERG, J. M. Occurrence and effects of endothelin in guinea-pig cardiopulmonary tissue, 539
 FUKUDA, Y. (see LARSSON, S. H.), 99
 FUXE, K. (see RUGGERI, M.)
 FUXE, K. (see ZOLI, M.)
- GAFFNEY, F. A., SJØGAARD, G. & SALTIN, B. Cardiovascular and metabolic responses to static contraction in man, 249
 GONZALEZ, E. (see SALOMONSSON, M.)
 GÖRANSSON, A. (see HANSELL, P.)
 GRADIN, K. Interactions between substance P and serotonergic mechanisms at preganglionic sympathetic nerves in thoracic spinal cord, 101
 GRÄNDE, P. O. (see MASTERS, M.)
 GRÉNHOFF, J. (see TUNG, C.-S.), 427, 581
 GRÖNSTAD, K. O. (see LARSSON, I.)
 GUSTAFSSON, H. & NILSSON, H. Endothelium-independent potentiation by neuropeptide Y of vasoconstrictor responses in isolated arteries from rat and rabbit, 503
 GUSTAFSSON, J.-A. (see ZOLI, M.)
 GUSTAFSSON, T. H. (see SJÖBLUM-WIDFELDT, N.), 203
- HANSELL, P., GÖRANSSON, A., SJÖQUIST, M. & ULFENDAHL, H. R. Effect of papillary exposure on intrarenal distribution of glomerular filtration rate and of plasma flow, 61
 HANSSON, H.-A., HONG, L. & HELANDER, H. F. Changes in gastric EGF, EGF receptors and acidity during healing of gastric ulcer in the rat, 241
 HARDEBO, J. E. (see SUZUKI, N.)
 HARRIS, R. T. (see TESCH, P. A.)
 HATHER, B. M. (see TESCH, P. A.)
 HEDLUND, H. (see HOLMQUIST, F.)
 HEIKKILÄ, R. (see SCHØYEN, H.)
 HELANDER, H. F. (see HANSSON, H.-A.)
 HELLBERG, P., HOLMES, P. V., BRÄNNSTRÖM, M., OLOFSSON, J. & JANSON, P. O. Inhibitors of lipooxygenase increase the ovulation rate in the *in-vitro* perfused luteinizing hormone-stimulated rabbit ovary, 557
 HELLE, K. B., REED, R. K., EHRHART, M., AUNIS, D. & HOGUE ANGELETTI, R. Chromogranin A: osmotically active fragments and their susceptibility to proteolysis during lysis of the bovine chromaffin granules, 565
 HELLSTRÖM, P. M. (see LÖRDAL, M.)
 HENNECKEN, J. (see BELL, L.)
 HERMANSEN, K. & ÅHRÉN, B. Gastrin releasing peptide stimulates the secretion of insulin, but not that of glucagon or somatostatin, from the isolated perfused dog pancreas, 175
 HJELMQVIST, H. (see RUNDGREN, M.)
 HJELMQVIST, H. & RUNDGREN, M. Effect of intracerebroventricular deuterium oxide on water intake and AVP release induced by intravenous infusion of angiotensin II in sheep, 155
 HOFFMAN, A. (see ÖHMAN, K. P.)
 HOFFMANN, P., SKARPHEDINSSON, J. O., DELLE, M. & THORÉN, P. Electrical stimulation of the gastrocnemius muscle in the spontaneously hypertensive rat increases the pain threshold: role of different serotonergic receptors, 125
 HOGUE ANGELETTI, R. (see HELLE, K. B.)
 HOLM, L., FLEMSTRÖM, G. & NYLANDER, O. Duodenal alkaline secretion in rabbits: influence of artificial ventilation, 471
 HOLM, L., MORSING, P., CASELLAS, D. & PERSSON, A. E. G. Resetting of the pressure range for blood flow autoregulation in the rat kidney, 395
 HOLM, S. (see RYDEVIK, B.)
 HOLMES, P. V. (see HELLBERG, P.)
 HOLMQUIST, F., ANDERSSON, K.-E. & HEDLUND, H. Effects of pinacidil on isolated human corpus cavernosum penis, 463
 HONG, L. (see HANSSON, H.-A.)
 HORII, S. (see KOBAYASHI, K.)
- IDSTRÖM, J.-P. (see SOUSSI, B.)
 ILEBEKK, A. (see RUTLEN, D. L.)
 ILMARINEN, J. (see LOUHEVAARA, V.)
 IVERSEN, J. G. (see SCHØYEN, H.)
- JACOBSEN, J., SØFELT, S., SEIKH, S., WARBERG, J. & SECHER, N. H. Cardiovascular and endocrine responses to haemorrhage in the pig, 167
 JANSEN, I. (see ALAFACI, C.)
 JANSON, P. O. (see HELLBERG, P.)
 JANSSON, T. & SKARLAND, H. Maternally administered epidermal growth factor stimulates fetal growth in the rat, 245
 JODAL, M. (see TANTISIRA, M. H.), 75, 213
 JOHANSSON, C. (see LÖRDAL, M.)
 JÓNASSON, H. (see JUNKERGÅRD, J.), 67
 JÓNASSON, H. (see RUNDGREN, M.)
 JÖNSSON, C. (see FÄNDRIS, L.)

- JONSSON, C. (see TANTISIRA, M. H.), 75
- JUNKERGÅRD, J. Influence of mild sodium depletion upon peripheral and centrally mediated effects of intravenous angiotensin II in the goat, 67
- JUNKERGÅRD, J., ANDERSSON, B. & JÓNASSON, H. Inhibition of the cortisol response to systemic angiotensin II by forebrain lesions involving the anterior wall of the third ventricle, 293
- JUNKERGÅRD, J. & AUGUSTINSSON, O. Evidence for an influence of CSF sodium concentration upon ACTH-mediated cortisol response to intravenous and intracerebroventricular angiotensin II, 301
- KÄHRSTRÖM, J. (see SUZUKI, N.)
- KÄLLSKOG, Ö (see BAYATI, A.), 13, 25
- KANEMURA, T. (see KOBAYASHI, K.)
- KARLÉN, J., RANE, S. & APERIA, A. Tubular response to hormones is blunted in weanling rats, 443
- KEISER, H. R. (see MARKS, E. S.)
- KEISER, H. R. (see ÖHMAN, K. P.)
- KIIL, F. (see BUGGE, J. F.)
- KOBAYASHI, K., TAMAOKI, J., SAKAI, N., KANEMURA, T., HORII, S. & TAKIZAWA, T. Angiotensin II stimulates airway ciliary motility in rabbit cultured tracheal epithelium, 497
- KOLÄRE, S. (see LARSSON, S. H.), 243
- KOOT, R. W. (see AMELINK, G. J.)
- KULLENDORFF, C.-M. (see ERIKSSON, L.-O.)
- LACROIX, J. S. (see ÄLVING, K.)
- LÄNKHOLM, A.-V. (see MIKKELSEN, J. D.)
- LARSSON, B. (see ERIKSSON, L.-O.)
- LARSSON, I., GRÖNSTAD, K. O., DAHLSTRÖM, A. & AHLMAN, H. Transport of serotonin from the rat jejunal lumen into mesenteric veins *in vivo*, 403
- LARSSON, S. H., RANE, S., FUKUDA, Y., APERIA, A. & LECHENE, C. Changes in Na influx precede post-natal increase in Na,K-ATPase activity in rat renal proximal tubular cells, 99
- LARSSON, S. H., YUN, S., KÖLARE, S. & APERIA, A. Post-natal changes in growth of rat proximal tubule cells: a study of cells in short primary culture, 243
- LECHENE, C. (see LARSSON, S. H.)
- LÖRDAL, M., JOHANSSON, C. & HELLSTRÖM, P. M. Calcitonin gene-related peptide stimulates irregular spiking and transit of contents in the small intestine of the rat, 429
- LOU, Y.-P. (see FRANCO-CERECEDA, A.)
- LOUHEVAARA, V., SOVIJÄRVI, A., ILMARINEN, J. & TERÄSLINNA, P. Differences in cardiorespiratory responses during and after arm crank and cycle exercise, 133
- LUNDBERG, J. M. (see ÄLVING, K.)
- LUNDBERG, J. M. (see FRANCO-CERECEDA, A.)
- LUNDBORG, G. (see RYDEVİK, B.)
- LUNDGREN, O. (see TANTISIRA, M. H.), 75, 213.
- MAGNUSSON, K. (see WESTERBERG, E.)
- MALMGREN, A., EKBLAD, E., SUNDLER, F., ANDERSSON, K.-E. & ANDERSSON, P. O. Muscarinic supersensitivity in the rat urinary bladder after capsaicin pretreatment, 377
- MÄRDH, S. (see SJÖDIN, L.)
- MARKS, E. S., ÖHMAN, K. P. & KEISER, H. R. Atrial natriuretic factor (ANF 103-126) enhances volume- and pressor-induced heart rate response in the conscious rat, 161
- MASPER, M., BJÖRNBERG, J., GRÄNDE, P. O. & MELLANDER, S. SYMPATHETIC α -adrenergic control of large-bore arterial vessels, arterioles and veins, and of capillary pressure and fluid exchange in whole-organ cat skeletal muscle, 509
- MATRAN, R. (see ÄLVING, K.)
- MATRAN, R. (see FRANCO-CERECEDA, A.)
- MATSUMOTO, T. (see ZHOU, A.)
- MELLANDER, S. (see MASPER, M.)
- MERLO PICH, E. (see RUGGERI, M.)
- MIKKELSEN, J. D., LÄNKHOLM, A.-V., BECK, B., SVENDSEN, J. H. & CLAUSEN, P. P. Neuropeptide Y is found in nerve fibres in the human myocardium as an amidated molecule, 583
- MORITANI, T., ODDSSON, L. & THORSTENSSON, A. Differences in modulation of the gastrocnemius and soleus H-reflexes during hopping in man, 575
- MORSE, M. A., BELL, L. & RUTLEN, D. L. Influence of splanchnic intravascular volume changes on cardiac output during muscarinic receptor stimulation in the anaesthetized dog, 331
- MORSING, P. (see HOLM, L.), 395
- MSGHINA, M. (see STJÄRNE, L.)
- MSGHINA, M., STJÄRNE, E., ÅSTRAND, P. & STJÄRNE, L. Evidence that action potential-induced Ca^{2+} influx is necessary but not sufficient to release transmitter from sympathetic nerve terminals, 239
- MÜLLER, R. M. (see WESTLIND-DANIELSSON, A.)
- NILSSON, H. (see GUSTAFSSON, H.)
- NILSSON, H. (see SJÖBLÖM-WIDFELDT, N.), 203, 523
- NOBIN, A. (see BODELSSON, M.)
- NYGREN, K. (see BAYATI, A.)
- NYLANDER, O. (see HOLM, L.), 471
- ODDSSON, L. (see MORITANI, T.)
- ÖGREN, S. O. (see VAN DEN BOS, R.)
- ÖHMAN, K. P. (see MARKS, E. S.)
- ÖMAN, K. P., HOFFMAN, A. & KEISER, H. R. Endothelin-induced vasoconstriction and release of atrial natriuretic peptides in the rat, 549
- OLOFSSON, J. (see HELLBERG, P.)
- OWMAN, CH. (see BODELSSON, M.)
- OWMAN, CH. (see STERNQUIST, M.)
- OWMAN, CH. (see SUZUKI, N.)
- PEDERSEN, P. S. Cholinergic-induced oscillating epithelial short-circuit current in cultured human sweat duct cells, 359

- PERSSON, A. E. G. (see HOLM, L.), 395
 PERSSON, A. E. G. (see SALOMONSSON, M.)
 PETTERSSON, M. & ÅHRÉN, B. Failure of islet amyloid polypeptide to inhibit basal and glucose-stimulated insulin secretion in model experiments in mice and rats, 389
 PETTERSSON-HENRIKSSON, A. & EINARSSON, S. A study of the effect of narcosis on oviductal activity using a method for continuous monitoring of this activity, 93
 PORKKA-HEISKANEN, T. Hypothalamic LHRH concentration decreases in intact but increases in castrated rats in constant light, 187
 RAEDER, M. G. (see VEEL, T.)
 RANE, S. (see KARLÉN, J.)
 RANE, S. (see LARSSON, S. H.)
 REED, R. K. (see HELLE, K. B.)
 ROWELL, L. B. (see STRANGE, S.)
 RUGGERI, M., MERLO PICH, E., ZINI, I., FUXE, K., UNGERSTEDT, U. & AGNATI, L. F. Indole-pyruvic acid increases 5-hydroxyindoleacetic acid levels in the cerebrospinal fluid and frontoparietal cortex of the rat: a microdialysis study, 97
 RUNDGREN, M. (see HJELMQVIST, H.)
 RUNDGREN, M., JONASSON, H. & HJELMQVIST, H. Water intake and changes in plasma and CSF composition in response to acute administration of hypertonic NaCl and water deprivation in sheep, 85
 RUTLEN, D. L. (see BELL, L.)
 RUTLEN, D. L. (see MORSE, M. A.)
 RUTLEN, D. L., VENGEN, Ø. A. & ILEBEKK, A. Regulation of splanchnic organ size during muscarinic receptor stimulation in the anaesthetized pig, 337
 RYDEVIK, B., HOLM, S., BROWN, M. D. & LUNDBORG, G. Diffusion from the cerebrospinal fluid as a nutritional pathway for spinal nerve roots, 247
 SAHLIN, K. Muscle carnitine metabolism during incremental dynamic exercise in humans, 259
 SAKAI, N. (see KOBAYASHI, K.)
 SALOMONSSON, M., GONZALEZ, E., SJÖLIN, L. & PERSSON, A. E. G. Simultaneous measurement of cytosolic free Ca^{2+} in macula densa cells and in cortical thick ascending limb cells using fluorescence digital imaging microscopy, 425
 SALTIN, B. (see GAFFNEY, F. A.)
 SALTIN, B. (see STRANGE, S.)
 SCHERSTÉN, T. (see SOUSSI, B.)
 SCHØYEN, H., IVERSEN, J. G., SMELAND, E. B. & HEIKKILÄ, R. A transient acidification linked to intracellular Ca^{2+} in anti- μ -stimulated human B-lymphocytes, 221
 SCHWARZ, R. (see WESTERBERG, E.)
 SECHER, N. H. (see JACOBSEN, J.)
 SEIKH, S. (see JACOBSEN, J.)
 SHIOKAWA, Y. (see ALAFACI, C.)
 SJÖBLOM-WIDFELDT, N., GUSTAFSSON, T. H. & NILSSON, H. Transmitter characteristics of small mesenteric arteries from the rat, 203
 SJÖBLOM-WIDFELDT, N. & NILSSON, H. Sympathetic transmission in small mesenteric arteries from the rat: influence of impulse pattern, 523
 SJÖDIN, L., ENGLUND, L. J. & MÅRDH, S. Binding of cholecystokinin and somatostatin to isolated porcine gastric mucosal cells and effects on aminopyrine uptake, 369
 SJØGAARD, G. (see GAFFNEY, F. A.)
 SJÖGREN, C. (see ANDERSSON, P. O.)
 SJÖLIN, L. (see SALOMONSSON, M.)
 SJÖQUIST, M. (see HANSELL, P.)
 SJÖVALL, H. (see TANTISIRA, M. H.), 213
 SKARLAND, H. (see JANSSON, T.)
 SKARPHEDINSSON, J. O. (see HOFFMAN, P.)
 SMELAND, E. B. (see SCHØYEN, H.)
 SØFELT, S. (see JACOBSEN, J.)
 SOLLERMAN, C. (see BODELSSON, M.)
 SOUSSI, B., IDSTRÖM, J.-P., SCHERSTÉN, T. & BYLUND-FELLENUS, A.-C. Cytochrome c oxidase and cardiolipin alterations in response to skeletal muscle ischaemia and reperfusion, 107
 SOVIJÄRVI, A. (see LOUHEVAARA, V.)
 SPECIALE, C. (see WESTERBERG, E.)
 STERNQUIST, M. & OWMAN, CH. Further evidence for a prejunctional action of neuropeptide Y on cholinergic motor neurons in the rat uterine cervix, 95
 STJÄRNE, E. (see MSGHINA, M.)
 STJÄRNE, E. (see STÄRNE, L.)
 STJÄRNE, L. (see MSGHINA, M.)
 STJÄRNE, L., MSGHINA, M. & STJÄRNE, E. K^{+} and Ca^{2+} channel blocking agents increase or decrease stimulus-evoked but not spontaneous quantal transmitter release in sympathetic nerve terminals, 235
 STOKKE, E. S. (see BUGGE, J. F.)
 STRANGE, S., ROWELL, L. B., CHRISTENSEN, N. J. & SALTIN, B. Cardiovascular responses to carotid sinus baroreceptor stimulation during moderate to severe exercise in man, 145
 SUNDLER, F. (see MALMGREN, A.)
 SUZUKI, N., HARDEBO, J. E., KÄHRSTRÖM, J. & OWMAN, CH. Effect on cortical blood flow of electrical stimulation of trigeminal cerebrovascular nerve fibres in the rat, 307
 SVENDGAARD, N.-A. A. (see ALAFACI, C.)
 SVENDSEN, J. H. (see MIKKELSEN, J. D.)
 SVENSSON, T. H. (see TUNG, C.-S.), 427, 581
 TAKIZAWA, T. (see KOBAYASHI, K.)
 TAMAOKI, J. (see KOBAYASHI, K.)
 TANTISIRA, M. H., FÄNDRIKS, L., JÖNSSON, C., JODAL, M. & LUNDGREN, O. Studies of cholera toxin-induced changes of alkaline secretion and trans-epithelial potential difference in the rat intestine *in vivo*, 75

- TANTISIRI, M. H., SJÖVALL, H., JODAL, M. & LUNDGREN, O. Intestinal fluid transport in the small intestine of normotensive and spontaneously hypertensive rats: the importance of enteric nerves, chloride and bicarbonate secretion, 213
- TERÄSLINNA, P. (see LOUHEVAARA, V.)
- TESCH, P. A., DUDLEY, G. A., DUVOISIN, M. R., HATHER, B. M. & HARRIS, R. T. Force and EMG signal patterns during repeated bouts of concentric or eccentric muscle actions, 263
- THORÉN, P. (see HOFFMANN, P.)
- THORN, N. A. (see ZHOU, A.)
- THORSTENSSON, A. (see MORITANI, T.)
- TÖRNEBRANDT, K. (see BODELSSON, M.)
- TUNG, C.-S., GRENHOFF, J. & SVENSSON, T. H. Morphine withdrawal responses of rat locus coeruleus neurons are blocked by an excitatory amino acid antagonist, 581
- TUNG, C.-S., GRENHOFF, J. & SVENSSON, T. H. Nicotine counteracts midbrain dopamine cell dysfunction induced by prefrontal cortex inactivation, 427
- ULFENDAHL, H. R. (see HANSELL, P.)
- UNGERSTEDT, U. (see RUGGERI, M.)
- UNGERSTEDT, U. (see WESTERBERG, E.)
- UVNÄS, B. *Acta Physiologica Scandinavica* Centennial: Editorial comments, 1
- UVNÄS, B. (see ANDERSSON, P. O.)
- UVNÄS-MÖBERG, K. (see ANDERSSON, P. O.)
- VAN DEN BOS, R., COOLS, A. R. & ÖGREN, S. O. Neurokinin A enhances the stimulatory effects of d-amphetamine on motor activity in the nucleus accumbens of the rat, 423
- VAN GIJN, (see AMELINK, G. J.)
- VEEL, T., BUANES, T., ENGELAND, E. & RAEDER, M. G. Colchicine inhibits the effects of secretin on pancreatic duct cell tubulovesicles and HCO_3^- secretion in the pig, 487
- VENGEN, Ø. A. (see RUTLEN, D. L.)
- VIKSE, A. (see BUGGE, J. F.)
- VOLKMANN, R., BOKVIST, K. & WENNMALM, Å. Endothelin has no positive inotropic effect in guinea-pig atria or papillary muscle, 345
- WARBERG, J. (see JACOBSEN, J.)
- WENNMALM, Å. (see VOLKMANN, R.)
- WESTERBERG, E., MAGNUSSON, K., WIELOCH, T., UNGERSTEDT, U., SPECIALE, C. & SCHWARCZ, R. Extracellular levels of quinolinic acid are moderately increased in rat neostriatum following severe insulin-induced hypoglycaemia, 417
- WESTLIND-DANIELSSON, A., MÜLLER, R. M. & BARTFAI, T. Atropine treatment induced cholinergic supersensitivity at receptor and second messenger levels in the rat salivary gland, 431
- WIELOCH, T. (see WESTERBERG, E.)
- WOLGAST, M. (see BAYATI, A.), 13, 25
- YUN, S. (see LARSSON, S. H.), 243
- ZARET, B. L. (see BELL, L.)
- ZHOU, A., MATSUMOTO, T., FARVER, O. & THORN, N. A. Uptake of ascorbic acid by freshly isolated cells and secretory granules from the intermediate lobe of ox hypophyses, 229
- ZINI, I. (see RUGGERI, M.)
- ZOLI, M., FUXE, K., AGNATI, L. F., FERRAGUTI, F., BIAGINI, G., CINTRA, A. & GUSTAFSSON, J.-A. Long-lasting reduction of glucocorticoid receptor immunoreactivity in the hippocampal field CA1 but not in the dentate gyrus after neonatal treatment with corticosterone in the rat, 577

Subject index

- Acetazolamide, 213, 471
- Acetylcarnitine, 259
- Acetylcholine, 331, 337, 503
- Acid production, 369
- Acid-base variables, 471
- ACTH-cortisol, 293
- Action potential, 345
- Acute renal failure, 13, 25, 35, 349
- Adenosine triphosphate, 203
- Adenylate cyclase, 431
- Adrenaline, 167
- Adrenergic, 431
- Airway epithelium, 497
- Aldosterone, 67, 167
- Allergic reaction, 49
- Allopurinol, 13
- Alpha-adrenergic receptor, 321
- Alpha-adrenoceptors, 2
- Aminopyrine, 369
- D-Amphetamine, 423
- ANF (103-126) 161
- Angiotensin, 301
- Angiotensin II, 67, 155, 293, 395, 497
- Angiotensin converting enzyme, 395
- Antagonist, 479
- Arm cranking, 133
- Arm venous blood lactate, 133
- Arterial hypertension, 213
- Arterial pressure, 549
- Arteries, 203, 503, 509, 523
- Arterioles, 509
- Ascorbic acid, 229
- Atria, 345
- Atrial natriuretic peptide (ANP), 443, 549
- Atropine, 213, 431
- Autonomic nervous system, 181
- Autoregulation, 193, 395
- B-lymphocyte activation, 221
- Baroreceptors, 161
- Biocarbonate secretion, 181
- Blood flow, 49, 249
- Blood flow velocity, 395
- Blood pressure, 67, 101, 133, 145, 249
- Bradycardia, 161
- Brain, 97
- Brain stem auditory-evoked potential, 529
- Bronchi, 539
- Burst discharge, 523
- Ca²⁺, 239
- Caffeic acid, 557
- Calcitonin gene-related peptide (CGRP), 429
- Calcium, 359, 523
- Capacitance vasculature, 321, 337
- Capillary pressure, 509
- Capsaicin, 49
- Capsaicin treatment, 377
- Carbonic anhydrase, 487
- Cardiac output, 321, 331
- Carnitine, 259
- Castration, 187
- Central venous pressure, 167
- Cerebral artery, 317
- Cerebral blood flow, 307
- Cerebrospinal fluid, 97
- Cerebrospinal fluid [Na], 85
- Cholecystokinin, 369, 479
- Cholera toxin, 75
- Cholinergic, 359
- Chr A1-10, 565
- Chromogranins, 565
- Cilia, 497
- Circumventricular organs, 293
- CO₂, 487
- Cobalt, 229
- Colchicine, 487
- Congestion, 13
- Contractile force, 345
- Control of breathing, 273
- Cooling, 283
- Copper, 229
- Corpus cavernosum penis, 463
- Cortical thick ascending limb cells, 425
- Corticosterone, 577
- Cortisol, 67, 301
- Creatine kinase, 115
- Crypts, 35
- CSF sodium, 301
- Cultured sweat cells, 359
- Cyclic AMP, 497
- Cycling, 133
- Cytosolic free calcium, 425
- Dehydration, 85
- Deuterium oxide, 155
- Development, 443
- Diffusion half-time, 349
- Diuretics, 193, 213
- Dog, 175
- Dopamine, 423, 427
- Duodenal blood flow, 471
- Electrical nerve stimulation, 307, 317, 345, 539

- Endothelin-1, 549
 Endothelium, 503
 Endotoxin, 293
 Enteric nervous system, 75, 213
 Enzyme leakage, 115
 Epidermal growth factor, 241, 245
 Epithelium, 99
 Erythrocyte trapping, 13, 25, 349
 Excitatory amino acids, 581
 Excitotoxin, 417
 Exercise, 115
 Exocytosis, 487
 Extracellular recording, 239
- Fetal growth, 245
 Fluorescence digital imaging microscopy, 425
 Follicle rupture, 557
 Forebrain lesions, 293
 Fura-2/AM, 425
- Gastric acid secretion, 181
 Gastric acidity, 241
 Gastric mucosa, 241
 Gastric ulcer, 241
 Gastrin releasing peptide, 175
 Glomerular filtration rate, 61
 Glucagon secretion, 175
 Glucocorticoid receptor, 577
 Goat, 67, 293, 301
 Gonadotropin-releasing hormone (GnRH), 187
 Growth, 243
 Guinea-pig, 345, 539
- Halothane, 93
 Hand, 283
 HCO_3^- , 487
 Heart, 539, 583
 Heart rate, 67, 133, 167, 549
 Hexamethonium, 471
 Hippocampal formation, 577
 Histamine, 49
 Human, 583
 Human veins, 283
 5-Hydroxyindoleacetic acid, 97
 Hyperaemia, 249
 Hypercapnia, 273
 Hypogastric nerve, 409
 Hypoglycaemia, 417
 Hypovolaemic shock, 167
- Immunoactive fragments, 565
 Immunocytochemistry, 577
 Immunohistochemistry, 241, 583
In vitro, 115, 389, 503
In vivo, 389
 Indole-pyruvic acid, 97
 Insulin secretion, 175, 389
 Intestinal alkaline secretion, 75
- Intestinal fluid and electrolyte transport, 213
 Intracellular Ca^{2+} , 221
 Intracellular pH, 221
 Intracerebral microdialysis, 97
 Intracerebroventricular, 301
 Intravascular volume, 331
 Intravenous, 301
 Iron, 229
 Islet amyloid polypeptide, 389
 Islets of Langerhans, 389
 Isoprenaline, 503
 Isoproterenol, 431
 Isthmus, 93
- Jejunum, 403
- K^+ , 239
 Kidney, 13, 61, 99, 243, 395, 451
 Kidney function, 443
 Kidney micropuncture, 25
- Lactate, 259
 Laser-Doppler flowmetry, 395, 471
 Left ventricular end-diastolic pressure, 161
 Leg blood flow, 145
 Lidocaine, 213
 Limited proteolysis, 565
 Lipoxygenase, 557
 Liver, 331, 337
 Localized muscular fatigue, 263
 Locus coeruleus, 581
 Loop diuretics, 213
 Lorglumide, 479
 Lumicolchicine, 487
 Lung, 273
- Macula densa, 193
 Macula densa cells, 425
 Man, 463
 Mean arterial pressure, 167
 Mean power frequency, 263
 Medulla, 61
 Melatonin, 187
 Membrane potential, 345
 Metabolism, 229
 α,β -Methylene adenosine triphosphate, 203
 Mice, 389
 Microcirculation, 509
 Microdialysis, 417
 Microtubules, 487
 Migrating myoelectric complexes, 429
 Miosis, 479
 Morphine, 581
 Morphology, 431
 Motor activity, 423
 Motor unit recruitment, 263
 Mucociliary transport, 497
 Mucosal protection, 181

- Mucosal transport, 403
 Muscarinic, 331, 337, 431
 Muscarinic supersensitivity, 377
 Muscle damage, 115
 Muscle fibre types, 575
 Muscle perfusion, 249
 Muscle stimulation, 125
 Muscular exercise, 249
 Myocardium, 345

 N-type calcium channels, 235
 NaCl, 85
 Na⁺/H⁺ exchange, 99
 Na,K-ATPase, 99, 487
 Nasal circulation, 49
 Neck suction, 145
 Neonatal, 577
 Nerve impulse pattern, 523
 Nerve impulses, 235
 Nerve tissue protein, 389
 Neurokinin, 423
 Neurokinin A, 539
 Neuromuscular diseases, 115
 Neuronal death, 417
 Neuropeptide, 503
 Neuropeptide Y, 203, 539, 583
 Nicotine, 427
 Noradrenaline, 145, 167, 203, 283, 503, 581
 Nordihydroguaiaretic acid, 557
 Nucleus accumbens, 423

 Oestradiol, 115
 Omeprazole, 181
 Ontogeny, 99, 243
 Oscillations, 359
 Osmolality, 61
 Osmotic behaviour, 565
 Osmotic stimuli, 85
 Ovulation, 557
 Ox, 229

 Pain threshold, 125
 Pancreatic polypeptide, 167
 Papilla, 61
 Papillary muscle, 345
 Parathyroid hormone, 443
 Parietal cell, 369
 Pelvic nerve, 409
 Peptide processing, 583
 Perfused pancreas, 175
 Permeability, 13
 PGE₂, 193
 PGI₂, 193
 Phenoxybenzamine, 203
 Phenylephrine, 321
 Photoperiod, 187
 Pig, 49
 Pinacidil, 463

 Pituitary gland, 229
 Placenta, 245
 Placental transport, 245
 Plasma flow, 61
 Porcine, 93
 Portal, 337
 Potassium, 249, 359
 Potassium channels, 235, 463
 Power density spectrum, 263
 Prazosin, 203, 283, 523
 Preferential recruitment, 575
 Prefrontal cortex, 427
 Primary culture, 99, 243
 Proliferation, 243
 Prostaglandin(s), 443, 497, 557
 Prostaglandin E₂, 451
 Prostaglandin synthetase inhibition, 451
 Proximal tubule, 243
 Pulmonary artery, 539
 Pulse pressure, 167
 Pupillary sphincter, 479
 Pyruvate, 259

 Quanta, 235
 Quinolinic acid, 417

 Rabbit, 503, 557
 Radioisotopes, 403
 Radioligand binding, 451
 Radionuclide imaging, 331
 Ranitidine, 181
 Rat(s), 35, 161, 187, 203, 317, 377, 389, 395, 403, 451, 503, 523, 577
 Receptor(s), 369, 431
 Recovery, 133
 Regulation, 273
 Renal Na excretion, 155
 Renal sympathectomy, 451
 Renin, 193
 Respiratory drive and timing, 273
 Right atrial pressure, 549
 Rodents, 529

 Salivary gland, 431
 Scanning electron microscope, 35
 Secretin, 487
 Semipermeable membrane, 349
 Sensory nerve fibres, 307
 Sensory nerves, 49
 Serotonin, 101, 125, 403
 Sex factors, 115
 Sheep, 85, 155
 Short-circuit current, 359
 Silver impregnation, 503
 Small intestine, 429
 Smooth muscle, 283
 Sodium depletion, 67, 451
 Somatostatin, 369

- Somatostatin secretion, 175
Spinal cord, 101
Spinal reflex excitability, 575
Splanchnic, 331, 337
Splanchnic circulation, 321
Spleen, 321, 331, 337
Spontaneous, 235
Spontaneously hypertensive rat (SHR), 125
Steroids, 115
Strain differences, 529
Subarachnoid haemorrhage, 317
Substance P, 101, 377
Superoxide dismutase (SOD), 13
Supersensitivity, 431
Sympathetic, 235
Sympathetic control, 509
Sympathetic nerve terminals, 239
Sympathetic nervous system, 145

Tamm-Horsfall protein, 35, 349
Testosterone, 187
Thermal dilution, 145
Thiopentothal, 93
Thirst, 85
Thirst threshold, 85
Time characteristics, 509
Tracheobronchial circulation, 49
Transcapillary exchange, 509

Transit, 429
Transmission electron microscope, 35
Transmitter release, 239
Transmural nerve stimulation, 203, 503, 523
Trigeminal nerve, 307
Tubular blockage, 25, 349
Tubulovesicle, 487

Ureteral occlusion, 193
Urethra, 409
Urinary bladder, 377, 409
Urine concentrating ability, 443

Vagal nerve(s), 161, 181
Vascular conductance, 145
Vasoactive intestinal polypeptide, 409
Vasopressin, 67, 155, 167
Vasospasm, 283
Veins, 509
Ventilation, 273
Ventilatory gas exchange, 133
Ventral tegmental area, 427

Water intake, 85, 155

Yohimbine, 283, 471

Zinc 229

